

Prepared for:

Zen Organics Inc

1309 Coffeen Avenue STE 1200
Sheridan, WY USA 82801

Mango Breeze Body Salve

Batch ID or Lot Number: SO19H2401	Test, Test ID and Methods: Various	Matrix: Unit	Page 1 of 2
Reported: 28Aug2024	Started: 27Aug2024	Received: 23Aug2024	


Cannabinoids - Colorado Compliance


Test ID: T000288791

Methods: TM14 (HPLC-DAD): Potency – Standard

Cannabinoid Analysis	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	2.794	9.508	67.338	1.19	# of Servings = 1 Sample Weight=56.5g
Cannabichromenic Acid (CBCA)	2.556	8.697	ND	ND	
Cannabidiol (CBD)	10.975	31.610	1829.849	32.39	
Cannabidiolic Acid (CBDA)	11.256	32.421	ND	ND	
Cannabidivarin (CBDV)	2.596	7.476	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	4.696	13.525	ND	ND	
Cannabigerol (CBG)	1.586	5.399	395.890	7.01	
Cannabigerolic Acid (CBGA)	6.631	22.568	ND	ND	
Cannabinol (CBN)	2.069	7.043	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	4.524	15.398	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	7.900	26.887	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	7.175	24.418	40.692	0.72	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	6.357	21.635	ND	ND	
Tetrahydrocannabivarin (THCV)	1.443	4.911	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	5.607	19.083	ND	ND	
Total Cannabinoids			2333.769	41.31	
Total Potential THC			40.692	0.72	
Total Potential CBD			1829.849	32.39	

Final Approval


Sam Smith
28Aug2024
12:40:00 PM MDT
PREPARED BY / DATE


Karen Winternheimer
28Aug2024
12:48:00 PM MDT
APPROVED BY / DATE

Prepared for:
Zen Organics Inc
1309 Coffeen Avenue STE 1200
Sheridan, WY USA 82801

Mango Breeze Body Salve


Batch ID or Lot Number: SO19H2401	Test, Test ID and Methods: Various	Matrix: Unit	Page 2 of 2
Reported: 28Aug2024	Started: 27Aug2024	Received: 23Aug2024	

Microbial Contaminants - Colorado Compliance

Test ID: T000288792
Methods: TM25 (qPCR) TM24, TM26, TM27 (Culture Plating): Microbial (Colorado Panel)

	Method	LOD	Quantitation Range	Result	Notes
STEC	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	Free from visual mold, mildew, and foreign matter
<i>Salmonella</i>	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	
Total Yeast and Mold*	TM24: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	
Total Aerobic Count*	TM26: Culture Plating	10 ² CFU/g	1.0x10 ³ - 1.5x10 ⁵	None Detected	
Total Coliforms*	TM27: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	

Final Approval


Nora Langer
29Aug2024
04:13:00 PM MDT


Brett Hudson
29Aug2024
04:50:00 PM MDT

PREPARED BY / DATE

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/d4ce19cc-ea9e-42d8-8a09-e24b6dec37a2>

Definitions
LOD = Limit of Detection, ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation, PPB = Parts per Billion, % = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)). Fail equates to a concentration level of Delta 9-THC, on a dry weight basis, higher than 0.3 percent + or - the measurement uncertainty. Total Potential THC is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step. Total THC = THC + (THCa *(0.877)). ALOQ = Above Limit Of Quantitation (defined by dynamic range of the method), CFU/g = Colony Forming Units per Gram. Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10² = 100 CFU, 10³ = 1,000 CFU, 10⁴ = 10,000 CFU, 10⁵ = 100,000 CFU.

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological. Some tests listed on this COA may not be within our scope of A2LA accreditation. Please visit [A2LA for more details](#).



Cert #4329.02
d4ce19ccea9e42d88a09e24b6dec37a2.1